AMENDMENTS TO THE CLAIMS

Docket No.: 1248-0823PUS1

1. (Currently amended) A wireless terminal for transmitting/receiving data to/from a base device, the wireless terminal comprising:

<u>a</u> receiving <u>unit means for receiving</u>, from the base device <u>a signal</u>, <u>where the receiver</u> <u>decodes the signal into a first video data and an audio signal and where the first video data and electronic program guide (EPG)EPG</u> data related to the data;

<u>a</u> first video generating <u>unit means for generating a first video image based on the first video data;</u>

<u>a</u> second video generating <u>unit means for generating a second video image based on the EPG data;</u>

<u>a</u> video superposing <u>unit means for superposing</u> the second video image on the first video image; and

a display unit displaying the superposed video image on a display section; and

<u>a</u> rewritable nonvolatile memory for storing the EPG data received by the receiving <u>unitmeans</u>, wherein

the second video generating <u>unit means</u>-generating the second video image based on the EPG data stored in the nonvolatile memory.

2. (Canceled)

3. (Currently amended) The wireless terminal of claim 1, wherein the second video generating <u>unit means</u>-generates the second video image by adding the EPG data to template data stored by the wireless terminal.

4. (Previously presented) The wireless terminal of claim 1, wherein the first video image is a television broadcast video image.

- 5. (Currently amended) A base device comprising <u>a</u> transmitting <u>unit</u> means for transmitting the first video data and the EPG data to the wireless terminal of claim 1.
 - 6. (Currently amended) A wireless system, comprising:

the wireless terminal of claim 1; and

a base device having transmitting <u>unit means for transmitting</u> the first video data and the EPG data to the wireless terminal of claim 1.

7. (Currently amended) A wireless terminal control method for transmitting/receiving data to/from a base device,

the method comprising the steps of:

receiving, from the base device a signal, where the receiver decodes the signal into a first video data and an audio signal and where the first video data and electronic program guide (EPG)EPG data related to the video data;

generating a first video image based on the first video data;

generating a second video image based on the EPG data;

superposing the second video image on the first video image and displaying the superposed video image on a display section; and

writing the EPG data transmitted from the base device into rewritable nonvolatile memory,

wherein, in the step for generating the second video image, the second video image is generated based on the EPG data stored in the nonvolatile memory.

8. (Canceled)

9. (Currently amended) A computer-readable recording medium—storing the wireless terminal control program of claim 8 having instructions stored thereon, such that when the instructions are read and executed by a processor, the processor is configured to perform the steps of:

receiving, from the base device a signal, where the receiver decodes the signal into a first video data and an audio signal and where the first video data and electronic program guide (EPG)EPG data related to the video data;

generating a first video image based on the first video data;

generating a second video image based on the EPG data;

superposing the second video image on the first video image and displaying the superposed video image on a display section; and

writing the EPG data transmitted from the base device into rewritable nonvolatile memory,

wherein, in the step for generating the second video image, the second video image is generated based on the EPG data stored in the nonvolatile memory.

- 10. (Currently amended) A base device comprising <u>a</u> transmitting <u>unit</u> means for transmitting the first video data and the EPG data to the wireless terminal of claim 3.
 - 11. (Currently amended) A wireless system, comprising:

the wireless terminal of claim 3; and

Application No. 10/553,283 Reply to Office Action of May 27, 2008

a base device having <u>a</u> transmitting <u>unit means for transmitting the first video data and the EPG data to the wireless terminal of claim 3.</u>

Docket No.: 1248-0823PUS1

12. (Canceled)